

**1972**

Wallace, J., Payne, R., & Mack, A. (1972). Inadvertent intravenous infusion of milk. *The Lancet*, 1972(1), 1264-1266.

**1979**

O'Donovan, J. E. (1979). Proximal connector of enteric feeding tube attaches to standard IV sets. *JPEN J Parenter Enteral Nutr*, 3(6), 471.

Pouvreau, A., Besson-Leaud, M., Lavaud, J., Checouri, A., & Cloup, M. (1979). [A rare accident of parenteral nutrition by central catheter: hypertonic state coma]. *Ann Pediatr (Paris)*, 26(7), 483-487.

**1982**

Priem, L., Guntupalli, K., Sladen, A., & Faulds, J. (1982). Tracheal tube obstruction. *Heart Lung*, 11(3), 285.

**1983**

Casewell, M. W., & Philpott-Howard, J. (1983). Septicaemia from inadvertent intravenous administration of enteral feeds. *J Hosp Infect*, 4(4), 403-405.

Gurmarnik, S. J., & Rokowsky, W. J. (1983). Color-coded iv lines. *Crit Care Med*, 11(9), 765.

**1984**

Patel, P. C., Sharif, A. M., & Farnando, P. U. (1984). Accidental infusion of total parenteral nutrition solution through an epidural catheter. *Anaesthesia*, 39(4), 383-384.

Stellato, T. A., Danziger, L. H., Nearman, H. S., & Creger, R. J. (1984). Inadvertent intravenous administration of enteral diet. *JPEN J Parenter Enteral Nutr*, 8(4), 453-455.

**1985**

Howie, C. (1985). Even one mistake is too many. *Nurs Times*, 81(14), 16-17.

**1986**

Tracheal Cuff Inflation Tube Mistaken for Enteral Feeding Tube. (1986). *Health Devices*, 15((2-3)), 64-65.

Katz, L. (1986). Inadvertent misconnection of medical tubing: protective incompatibility. *Jama*, 256(18), 2517-2518.

Sperry, K., & Smialek, J. E. (1986). The investigation of an unusual asphyxial death in a hospital. *Jama*, 255(18), 2472-2474.

**1988**

Stapleton, G. N., Symmonds, K. L., & Immelman, E. J. (1988). Septicaemia resulting from inadvertent intravenous administration of enteral nutrient solution. A case report. *S Afr Med J*, 73(9), 542-543.

**1989**

Garvin, G., & Franck, L. S. (1989). Preventing delivery of enteral formula via parenteral route. *Pediatric Nurse*, 15(1), 17-18.

Ulicny, K. S., Jr., & Korelitz, J. L. (1989). Multiorgan failure from the inadvertent intravenous administration of enteral feeding. *JPEN J Parenter Enteral Nutr*, 13(6), 658-660.

**1990**

Marsland, A. R., & Taraporewalla, K. J. (1990). An ingenious misconnection. *Anaesth Intensive Care*, 18(1), 139-140.

**1991**

Ferraro, A. R., & Huddleston, K. C. (1991). Safe administration of small-volume enteral feedings: an alternative to intravenous pumps. *J Pediatr Nurs*, 6(5), 352-354.

Mappes, A., & Schaer, H. M. (1991). Accidental injection of ether into the epiduralspace. *Anaesthesia*, 46(2), 124-125.

Young, R. J., & Murray, N. D. (1991). Adapting intravenous pumps for enteral feeding. *MCN Am J Matern Child Nurs*, 16(4), 212-216.

**1992**

Lopez Garcia, M. J., Sorribes Monrabal, I., & Fernandez-Delgado Cerda, R. (1992). Accidental intravenous administration of semi-elemental formula in an infant. *Clin Pediatr (Phila)*, 31(12), 757-758.

**1993**

Cohen, M. R. (1993). IV administration mix-ups. *Hosp Pharm*, 28(4), 363-364, 367.

Malone, M., Aftahi, S., & Howard, L. (1993). Inadvertent intravenous administration of an elemental enteral nutrition formula. *Ann Pharmacother*, 27(10), 1187-1189.

**1994**

Huddleston, K., Creekmore, P., & Wood, B. (1994). Administration of infant formula through the intravenous route: consequences and prevention. *MCN Am J Matern Child Nurs*, 19(1), 40-42.

**1996**

Association of the Advancement of Medical Instrumentation. (1996). *Enteral feeding set adapters and connectors*: American National Standards Institute.

**1997**

Goff, K. L. (1997). The nuts and bolts of enteral infusion pumps. *Medsurg Nurs*, 6(1), 9-15; quiz 16-17.

Jones, S. A., & Guenter, P. (1997). Automatic flush feeding pumps. *Nursing*, 27(2), 56-58.

Ong, B. C., & Soo, K. C. (1997). Plasmapheresis in the treatment of inadvertent intravenous infusion of an enteral feeding solution. *J Clin Apher*, 12(4), 200-201.

**1998**

Kennelly, C., & Barnes, S. (1998). Inadvertent i.v. administration of enteral formula causes adverse sequelae ranging from microembolism and hypersensitivity reactions to increased production of stool. *Am J Crit Care*, 7(1), 80.

Knight, D. M., James, R. A., Sims, D. N., Bourne, A. J., Martin, J., & Byard, R. W. (1998). Sudden death due to intravenous infusion of hair conditioner. *Am J Forensic Med Pathol*, 19(3), 252-254.

Leape, L. L., Woods, D. D., Hatlie, M. J., Kizer, K. W., Schroeder, S. A., & Lundberg, G. D. (1998). Promoting patient safety by preventing medical error. *Jama*, 280(16), 1444-1447.

Reid, M. (1998). Enteral feeding tubes. *Nursing*, 28(6), 25.

**2000**

*An organisation with a memory: Report and an expert group on learning from adverse events in the NHS*. (2000.). London, England: Department of Health.

Williams, C., & Lefever, J. (2000). Reducing the risk of user error with infusion pumps. *Prof Nurse*, 15(6), 382-384.

**2001**

Berwick, D. M. (2001). Not again! *BMJ*, 322(7281), 247-248.

Guenter, P., & Silkroski, M. (2001). *Tube Feeding: Practical Guidelines and Nursing Protocols*. Gaithersburg, MD: Aspen Publishers, Inc.

Institute for Safe Medication Practices [ISMP]. (2001). IV administration set spiked into enteral nutrition container. *ISMP Medication Safety Alert: ISMP Quarterly Action Agenda*.

Institute for Safe Medication Practices [ISMP]. (2001). IV connection to tracheostomy cuff inflation port reflects large problem. *ISMP Medication Safety Alert* Retrieved 1/3/2006, 2006

Lanigan, C. (2001). Luer-lock epidural connections. *Anaesthesia*, 56(6), 586.

Toft, B. (2001). *External Inquiry into the adverse incident that occurred at Queen's Medical Centre, Nottingham, 4th January 2001*. London: Department of Health. Accessed March 5, 2008 at [http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationPolicyAndGuidance/DH\\_4010064](http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationPolicyAndGuidance/DH_4010064)

Woods, K. (2001). *The Prevention of Intrathecal Medication Errors: A report to the Chief Medical Officer*. Leicester, England: University of Leicester.

## **2002**

- Cyna, A., & Simmons, S. (2002). Call for an alternative coupling system for regional equipment. *Anaesthesia*, 57(3), 289-290.
- Fechner, G., Du Chesne, A., Ortmann, C., & Brinkmann, B. (2002). Death due to intravenous application of enteral feed. *Int J Legal Med*, 116(6), 354-356.
- Horns, K. M., & Loper, D. L. (2002). Medication errors: analysis not blame. *J Obstet Gynecol Neonatal Nurs*, 31(3), 347-354.
- Lanigan, C. J. (2002). Safer epidural and spinal connectors. *Anaesthesia*, 57(6), 567-571.
- Stone, B. A. (2002). Avoid luer connectors on blood pressure cuffs. *Anesthesiology*, 97(3), 765-766.
- Takehita, H., Yasuda, T., Nakajima, T., Mori, S., Mogi, K., Ohkawara, H., et al. (2002). A death resulting from inadvertent intravenous infusion of enteral feed. *Int J Legal Med*, 116(1), 36-38.

## **2003**

- Amoore, J., & Adamson, L. (2003). Infusion devices: characteristics, limitations and risk management. *Nurs Stand*, 17(28), 45-52; quiz 54-45.
- Benjamin, D. M. (2003). Reducing medication errors and increasing patient safety: case studies in clinical pharmacology. *J Clin Pharmacol*, 43(7), 768-783.
- Ebright, P. R., Patterson, E. S., Chalko, B. A., & Render, M. L. (2003). Understanding the complexity of registered nurse work in acute care settings. *J Nurs Adm*, 33(12), 630-638.
- ECRI. (2003). Misconnected flowmeter leads to two deaths [special report]. *Health Devices Alerts*.
- FDA. (2003). Dangerous Misconnections Between BP Monitors and IV Ports. *FDA Patient Safety News* Retrieved 11/20/05, 2005
- Institute for Safe Medication Practices [ISMP]. (2003). Blood pressure monitoring tubing may connect to IV ports. *ISMP Medication Safety Alert!* Retrieved November 29, 2005, 2005
- Institute for Safe Medication Practices [ISMP]. (2003). Enteral feeding given IV. *ISMP Medication Safety Alert: ISMP Quarterly Action Agenda*(April 4, 2003).

- Institute for Safe Medication Practices [ISMP]. (2003). Oral Augmentin Administered IV. *ISMP Medication Safety Alert Nurse Advise-ERR*.
- Marders, J. (2003). Compatible connections, incompatible products. *Nursing*, 33(9), 18.
- Moore, R. (2003). Making the right connections. *Med Device Technol*, 14(2), 26-27.
- Ramsay, S. J., Gomersall, C. D., & Joynt, G. M. (2003). The dangers of trying to make ends meet: accidental intravenous administration of enteral feed. *Anaesth Intensive Care*, 31(3), 324-327.
- Walters, P., Chamberlain, P., & Press, M. (2003). *In Touch. An investigation of the benefits of tactile cue in safety critical product applications*. Paper presented at the 5th European Academy of Design Conference, University of Barcelona, Spain.

## **2004**

- Fatal Air Embolism Caused by the Misconnection of a Medical Device Hoses to Needleless Luer Ports on IV Administration Sets. (2004, June 2004). *Health Devices*, 33, 223-225.
- Cohen, M. (2004). Needleless IV Access: Beware a Fatal Flaw. *Nursing 2004*, 34(12), 12.
- ECRI. (2004). Fatal air embolism caused by the misconnection of medical device hoses to needleless Luer ports on IV administration sets. *Health Devices*, 33(6), 223-225.
- Griffiths, R. D. (2004). Is parenteral nutrition really that risky in the intensive care unit? *Curr Opin Clin Nutr Metab Care*, 7(2), 175-181.
- Institute for Safe Medication Practices [ISMP]. (2004). Improvised drug delivery: a cause for concern, 2005.
- Institute for Safe Medication Practices [ISMP]. (2004). Problems persist with lifethreatening tubing misconnections. *ISMP Medication Safety Alert!* Retrieved November 29, 2005, 2005, from <http://www.ismp.org/newsletters/acutecare/articles/20040617.asp>
- Paparella, S. (2004). Death by Syringe. *Journal of Emergency Nursing*, 30(6), 552-555.
- Reason, J. (2004). Beyond the organisational accident: the need for "error wisdom" on the frontline. *Qual Saf Health Care*, 13 Suppl 2, ii28-33.
- Rivera, W., Velez, L. I., Guzman, D. D., & Shepherd, G. (2004). Unintentional intravenous infusion of Golytely in a 4-year-old girl. *Ann Pharmacother*, 38(7-8), 1183-1185.
- Sheppard, I., Davis, J., & Blackstock, D. (2004). Improving patient safety by design – a new spinal/intrathecal injection safety system. *Can J Anaesth*, 53(1), 108-109.

- Singh, S., Loeb, R.G. (2004). Fatal Connection: Death Caused by Direct Connection of Oxygen Tubing into a Tracheal Tube Connector. *Anesthesia and Analgesia*, 99(4), 1164-1165.
- U. S. Food and Drug Administration [FDA]. (2004). Preventing Fatal Tubing Misconnections. *FDA Patient Safety News Show #31*. Retrieved February 28, 2007, from [www.accessdata.fda.gov/psn/transcript.cfm?show=31](http://www.accessdata.fda.gov/psn/transcript.cfm?show=31)
- US Pharmacopeia. (2004). Errors in Obstetrics. *USP Patient Safety CAPSLink*.

## **2005**

- Courreges, P. (2005). Inadvertent epidural infusion of paracetamol in a child. *Paediatr Anaesth*, 15(12), 1128-1130.
- Drake, J., Crawford, M.W. (2005). Near-miss Injection of an Anesthetic Agent into a Cerebrospinal Fluid External Ventricular Drain: Special Report. *Neurosurgery Online*, 56(5).
- Eakle, M., Gallaresi, B. A., & Morrison, A. (2005). Luer-lock misconnects can be deadly. *Nursing*, 35(9), 73.
- Institute for Safe Medication Practices [ISMP]. (2005). Fatal Misadministration of IV Vincristine. *ISMP Medication Safety Alert*, 10, 1-2,4.
- Kunac, D. L., & Reith, D. M. (2005). Identification of priorities for medication safety in neonatal intensive care. *Drug Saf*, 28(3), 251-261.
- Needham, D. M., Sinopoli, D. J., Thompson, D. A., Holzmüller, C. G., Dorman, T., Lubomski, L. H., et al. (2005). A system factors analysis of "line, tube, and drain" incidents in the intensive care unit. *Crit Care Med*, 33(8), 1701-1707.
- Paparella, S. (2005). Inadvertent attachment of a blood pressure device to a needleless IV "Y-site": surprising, fatal connections. *J Emerg Nurs*, 31(2), 180-182.
- Patient Safety Research Programme of the Department of Health. (2005). Call of Proposals: PS/038 A prospective hazard analysis and pre-implementation evaluation of non-luer spinal connectors (pp. 8).
- Potter, P., Wolf, L., Boxerman, S., Grayson, D., Sledge, J., Dunagan, C., et al. (2005). Understanding the cognitive work of nursing in the acute care environment. *J Nurs Adm*, 35(7-8), 327-335.

## **2006**

- Are tubing errors harming patients at your facility? (2006). *Hosp Peer Rev*, 31(6), 84-85.
- Don't let tubing errors harm patient in your ED [Electronic Version]. *ED Nursing*, June 1, 2006. Retrieved February 21, 2008.
- Cohen, M. R. (2006). ISMP Medication Error Report Analysis: Oral Liquid Given IV. *Hospital Pharmacy*, 41(2), 114-117.
- Joint Commission issues alert on dangerous tubing misconnections. (2006). *Nebr Nurse*, 39(2), 31.

## Luer Tip (Small Bore Medical Connector) Misconnection Reference List:

Page 7 of 9

- Cohen, M. R. (2006). ISMP Medication Error Report Analysis: Oral Liquid Given IV. *Hospital Pharmacy*, 41(2), 114-117.
- Copelan, D., & Appel, J. (2006). Implementation of an enteral nutrition and medication administration system utilizing oral syringes in the NICU. *Neonatal Netw*, 25(1), 21-24.
- ECRI. (2006, March 2006). Preventing Misconnections of Lines and Cables. *Health Devices*, 35, 81-95.
- Hellwig, J. P. (2006). Warning on dangerous tubing misconnections. *AWHONN Lifelines*, 10(3), 196-202.
- Hicks, R., Becker, S. (2006). An Overview of Medication Administration Errors as Reported to Med Marx, a National Medication Error-reporting Program. *Journal of Infusion Nursing*, 29(1), 20-27.
- Institute for Safe Medication Practices [ISMP]. (2006). IV Vincristine Survey Shows Safety Improvements Needed. *ISMP Medication Safety Alert*, 11, 1-2.
- JCAHO. (2006, Apr 3). Tubing misconnections--a persistent and potentially deadly occurrence. *Sentinel Event Alert*, 1-3.
- JCAHO. (2006, November). Making the right connections: Reducing the risk of fatal tubing and catheter misconnection. *The Joint Commission Perspectives on Patient Safety*, 6(11), 1-6.
- Kimehi-Woods, J., & Shultz, J. P. (2006). Using HFMEA to assess potential for patient harm from tubing misconnections. *Jt Comm J Qual Patient Saf*, 32(7), 373-381.
- National Center for Patient Safety VA. (2006). Mix-up (wrong route of administration) of bladder irrigation with intravenous (IV) infusions. *Patient Safety Alert, AL06-012*, 1-6.
- Oakeshott, I. (2006). 200 epidural blunders admitted after three women die. *Times*. Accessed March 5, 2008 at <http://www.timesonline.co.uk/tol/news/uk/article676011.ece>
- Page, L. (2006). Finding the Wrong Fit. *Materials Management in Healthcare*, 15(4), 24-28.
- Patton, K. A. (2006). A Standards-Based Approach to Preventing Tubing Misconnections *Pharmacy Purchasing & Products*(October 2006), 16-20.
- Pratt, N. (2006). Tubing misconnections: a perilous design flaw. *Mater Manag Health Care*, 15(11), 36-39.
- Ryan, C. A., Mohammad, I., & Murphy, B. (2006). Normal neurologic and developmental outcome after an accidental intravenous infusion of expressed breast milk in a neonate. *Pediatrics*, 117(1), 236-238.
- Simmons, D. (2006, April). Safe Systems, Safe Patients: Common Connectors Pose a Threat to Safe Practice. *Texas Board of Nursing Bulletin*, 37, 6-7.
- Vanitha, V., & Narasimhan, K. L. (2006). Intravenous breast milk administration--a rare accident. *Indian Pediatr*, 43(9), 827.
- Volkin, L., & Dargan, R. S. (2006). Potentially Fatal Tubing Misconnection Errors Can Be Avoided. Retrieved December 12, 2007, from

<https://www.asrt.org/content/News/IndustryNewsBriefs/GenRes/Potential060418.aspx>

**2007**

- Enteral Feeding Misconnections. (2007). *Technical Paper* Retrieved December 12, 2007, from <http://www.baxa.com/OnlineHelp/Technical%20Papers/Enteral%20Misconnections%20Technical%20Paper.pdf>
- Premature infants safer because of new feeding system. (2007). *Case Study*: Retrieved December 12, 2007, from <http://www.premierinc.com/qualitysafety/tools-services/safety/topics/tubing-misconnections/downloads/neonatalcase-study.pdf>
- Talc given IV [Electronic Version]. *Nurse Advise-ERR*, 5, 2. Retrieved 12/14/2007 from <http://www.ismp.org/Newsletters/nursing/Issues/NurseAdviseERR200712.pdf>.
- Tube Misconnection Errors Noted in WSJ [Electronic (2007). Version]. *Hospital Buyer*. Retrieved 12/12/2007 from <http://www.hospitalbuyer.com/medical-devicesproducts/standards/tube-misconnection-errors-noted-in-wsj-1079/>.
- Tubing Misconnections. (2007). Retrieved December 12, 2007, from <http://www.premierinc.com/safety/topics/tubing-misconnections/>
- Alexander, M. (2007). If the shoe fits, don't wear it. *Journal of Infusion Nursing*, 30(5),249-250.
- American Nurses Association. (2007). *Position Statement: Safety Issues Related to Tubing and Catheter Misconnections*. Silver Spring, MD.
- Beyea, S., Simmons, D., & Hicks, R. (2007). Caution: Tubing misconnections can be deadly. *AORN*, 85(3), 633-635.
- Gallauresi, B., Eakle, M., & Morrison, A. (2007). Misconnections between medical devices with Luer connectors: under-recognized but potentially fatal events in clinical practice [electronic version]. *Safe Practices in Patient Care*, 3(2), 1-8.
- Landro, L. (2007). Tackling Tube Misconnections: Hospitals Scramble To Prevent Errors, Redesign Devices [Electronic Version]. *The Wall Street Journal Online*. Retrieved 12/12/2007 from [http://online.wsj.com/public/article\\_print/SB118289594893449089.html](http://online.wsj.com/public/article_print/SB118289594893449089.html).
- Patton, K. A. (2007). A Standards-Based Approach to Preventing Tubing Misconnections. *Pharmacy Purchasing & Products*.
- Viasys Healthcare. (2007). CORFLO® ANTI-I.V. Enteral Feeding System. Retrieved February 28, 2007, from [www.corfloanti-iv.com](http://www.corfloanti-iv.com)
- Wahlberg, D. (2007, June 22, 2007). How Many Medical Errors? *Wisconsin State Journal*, p. 8.
- Wahlberg, D. (2007, June 22, 2007). How Tubes Get Mixed Up. *Wisconsin State Journal*, p. 11.
- Wahlberg, D. (2007, June 22, 2007). Medical Misconnections: A common medical mistake. *Wisconsin State Journal*, p. 1.

Wahlberg, D. (2007, June 22, 2007). A Tough Medical Challenge, Met. *Wisconsin State Journal*, p. 6.

World Health Organization. (2007). Avoiding Catheter and Tubing Misconnections. *Patient Safety Solutions* Retrieved December 12, 2007, from <http://www.icipatientsafety.org/fpdf/presskit/PS-Solution7.pdf>

**2008**

Karch, A. M. (2008). Make the Right Connection. *Am J Nurs*, 108(3), 72.

Paparella, S. (2008). Death by syringe: a call to action. *J Emerg Nurs*, 34(1), 49-52.

Tonks, A. (2008). Patient safety: Safer by design. *BMJ*, 336(7637), 186-188.

Wu, A. W., Lipshutz, A. K., & Pronovost, P. J. (2008). Effectiveness and efficiency of root cause analysis in medicine. *Jama*, 299(6), 685-687.

**at press**

Guenter, P., Simmons, D., Hicks, R. W., Crowley, J., Joseph, S., Ccroteau, R., et al. (at press). Enteral Feeding Misconnections: A Consortium Position Statement. *Joint Commission Journal of Quality and Patient Safety*.

Simmons, D., Phillips, M., Grissinger, M., & Becker, S. C. (at press). Error-Avoidance Recommendations for Tubing Misconnections When Using Small Bore Connectors: A Statement by the USP Safe Medication Use Expert Committee. *Joint Commission Journal of Quality and Patient Safety*.

**n.d.**

Baxa Corporation. (n.d.). Oral Liquid Delivery. Retrieved February 28, 2007, from <http://www.baxa.com/Products/OLDS/OLDSHome.asp>